

In the claims

1-86. (canceled)

87. (Currently amended) An animal feed composition comprising a particle ranging in size from the about 100 μm to about 1 cm, wherein the particle is formulated to begin dissolving within the pH range of an animal's foregut, wherein ~~such~~ the particle comprises alginate and a starch-emulsifier complex, wherein the alginate comprises from about 0.5 to about 2.0 percent by wet weight of the particle, the emulsifier comprises a ratio to the starch from about 1:10 to about 10:1, and the starch-emulsifier complex is partially or completely insoluble in water.

88. (Previously presented) The composition of claim 87, wherein the particle comprises from about 0.5 to about 1.0 percent alginate by wet weight of the particle.

89. (Previously presented) The composition of claim 88, wherein the particle comprises about 1.0 percent alginate by wet weight of the particle.

90. (Previously presented) The composition of claim 87, wherein the starch comprises from about 1.0 to about 4.0 percent by wet weight of the particle.

91. (Previously presented) The composition of claim 90, wherein the starch comprises about 2.0 percent by wet weight of the particle.

92. (Previously presented) The composition of claim 87, wherein the emulsifier and starch are present in an emulsifier to starch ratio from about 1:5 to about 5:1.

93. (Previously presented) The composition of claim 92, wherein the emulsifier and starch are present in an emulsifier to starch ratio from about 1:4 to about 2:1.

94. (Previously presented) The composition of claim 92, wherein the emulsifier and starch are present in an emulsifier to starch ratio of about 1:2.

95. (Previously presented) The composition of claim 87, wherein the starch is selected from the group consisting of modified starch, high amylose starch, and combinations thereof, and wherein the starch complexes with the emulsifier in an alkali solution.
96. (Previously presented) The composition of claim 87, further comprising a bioactive agent or agents.
97. (Previously presented) The composition of claim 96, wherein the bioactive agent undergoes controlled release.
98. (Previously presented) The composition of claim 96, wherein the bioactive agent or agents are chosen from microbes, proteins, peptides, nucleic acids, hormones, drugs, antibiotics, enzymes, minerals, vitamins, antibodies, immunogens, microstructures, and nanostructures.
99. (Previously presented) The composition of claim 98, wherein the microbe is chosen from bacteria, yeast, and viruses.
100. (Previously presented) The composition of claim 99, wherein the microbe is chosen from *Bacillus* spp., *Lactobacillus* spp., *Lactococcus* spp., *Alteromonas* spp., *Carnobacterium* spp., *Vibrio* spp., *Pseudomonas* spp., *Streptococcus* spp., *Pseudoalteromonas* spp., *Saccharomyces* spp., *Phaffia* spp., *Pichia* spp., and *Kluyveromyces* spp.
101. (Withdrawn) The composition of claim 98, wherein the protein is chosen from somatostatin, somatostatin derivatives, growth hormones, prolactin, adrenocorticotrophic hormone (ACTH), melanocyte stimulating hormone (MSH), thyroid hormone releasing hormone (TRH), TRH salts, TRH derivatives, thyroid stimulating hormone (TSH), luteinizing hormone (LH), oxytocin, calcitonin, gastrin, secretin, pancreozymin, cholecystokinin, interleukins, thymopoietin, thymosin, thymostimulin, thymic factors, bombesin, neurotensin, lysozyme, protein synthesis stimulating peptides, vasoactive intestinal polypeptide (VIP), growth hormone releasing factor (GRF), and somatocrinin.
102. (Withdrawn) The composition of claim 98, wherein the antibiotic is chosen from gentamicin, tetracycline, oxytetracycline, doxycycline, ampicillin, ticarcillin, cephalothin, cephaloridine, cefotiam, cefsulodin, cefmenoxime, cefmetazole, cefazolin, cefotaxime, cefoperazone, ceftizoxime, moxolactam, latamoxef, thienamycin, sulfazecin, and azthreonam.

103. (Previously presented) The composition of claim 87, wherein the composition is further processed to provide a dry form.

104. (Previously presented) The composition of claim 87, wherein the composition is in a wet form.

105. (Previously presented) The composition of claim 87, wherein the particle size ranges from about 20 μm to about 150 μm .

106. (Cancelled)

107. (Previously presented) The composition of claim 87, further comprising one or more bioattractant.

108. (Previously presented) The composition of claim 87, further comprising nutrients.

109. (Previously presented) The composition of claim 87, wherein the animal is human.

110. (Previously presented) The composition of claim 87, wherein the animal is a domestic animal.

111. (Previously presented) The composition of claim 87, wherein the animal is an aquatic animal.

112. (Previously presented) The composition of claim 111, wherein the animal is a fish.

113. (Previously presented) The composition of claim 111, wherein the animal is a mollusk.

114. (Previously presented) The composition of claim 111, where in the animal is a shrimp.

115. (Previously presented) The composition of claim 111, wherein the animal is a rotifer.

116. (Previously presented) The composition of claim 111, wherein the animal is Artemia.

117. (Withdrawn) A method of producing an animal feed composition comprising a particle, wherein such method comprises:

(a) dissolving a starch in an alkaline solution,

- (b) adding an emulsifier to the starch and alkaline solution for a sufficient time to form a starch-emulsifier complex, wherein the starch-emulsifier complex is partially or completely insoluble;
- (c) neutralizing the solution comprising the formed starch-emulsifier complex;
- (d) adding alginate to the solution containing the starch-emulsifier complex;
- (e) adding a bioactive agent; and
- (f) atomizing the slurry resulting from (a)-(e), wherein the atomization produces a particle between about 10 μm and about 10,000 μm in size, and wherein the bioactive agent is microbound, viable, and bioavailable in a timed-release manner.

118. (Withdrawn) A method of delivery of a bioactive agent or agents comprising providing a particle to an animal, such particle comprising alginate, a partially or completely insoluble starch emulsifier complex, and one or more bioactive agent, wherein providing the particle delivers the particle to the animal.

119. (Withdrawn) A method of delivering a particle produced by the method of claim 117 to an aquatic animal comprising producing the particle and feeding the particle to an aquatic animal, wherein the bioactive agent has a bioactive effect on the animal in vivo.

120. (Withdrawn) The method of claim 117, wherein the bioactive agent is delivered to an aquatic animal.

121. (Previously presented) A particle comprising alginate and a starch-emulsifier complex, wherein the starch-emulsifier complex is partially or completely insoluble in water.

122. (Previously presented) The particle of claim 121 further comprising one or more bioactive agent.

123. (Previously presented) The composition of claim 99, wherein the microbe is chosen from *Bacillus licheniformis*, *Bacillus subtilis*, *L. bulgaricus*, *L. helveticus*, *L. plantarum*, *L. paracasei*, *L. casei*, *L. rhamnosus*, *L. lactis*, *A. media*, *C. divergens*, *V. alginolyticus*, *P. fluorescens*, *S. lactis*, *S. thermophilus*, *P. undina*, *S. cerevisiae*, *S. exiguus*, *P. rhodozoma*, *P. pastoris*, *K. aestuarii*, *K. marxianus*, and *K. yarrowii*.